

Allison, Paul D. (2005). Fixed effects regression methods for longitudinal data using SAS. Cary, NC: SAS Institute.

Allison, P. D. (2009). Fixed effects regression models (Vol. 160). Newbury Park, CA: Sage.

Allison, P., Williams, R. & Moral-Benito, E. (2017). Maximum Likelihood for Cross-Lagged Panel Models with Fixed Effects. *Socius* 3, 1–17.

Altman, R.M. (2007) Mixed Hidden Markov Models, *Journal of the American Statistical Association*, 102:477, 201-210.

Annis, J., Miller, B.J., Palmeri, T.J. (2017). Bayesian inference with Stan: A tutorial on adding custom distributions. *Behavioral Research*, 49, 863-886.

Antonakis, J., Bastardo, N., & Rönkkö, M. (2019). On ignoring the random effects assumption in multilevel models: Review, critique, and recommendations. *Organizational Research Methods*.

Asparouhov, T. and Muthén, B. (2008). 'Multilevel mixture models'. In *Advances in latent variable mixture models*, Edited by: Hancock, G. R. and Samuelsen, K. M. Charlotte, NC: Information Age Publishing, pp . 27–53.

Asparouhov, T., Hamaker, E.L. & Muthén, B. (2017). Dynamic Latent Class Analysis. *Structural Equation Modeling: A Multidisciplinary Journal*, 24:2, 257-269.

Asparouhov, T, Hamaker, E.L. & Muthén, B. (2018). Dynamic structural equation models. *Structural Equation Modeling: A Multidisciplinary Journal*, 25:3, 359-388.

Asparouhov, T. & Muthén, B. (2019). Random Starting Values and Multistage Optimization. *Mplus Technical Note*.

Asparouhov, T. & Muthén, B. (2019). Bayes Parallel Computation: Choosing the number of processors. *Mplus Technical Note*.

Asparouhov, T. & Muthén, B. (2019). Bayesian estimation of single and multilevel models with latent variable interactions. Forthcoming in *Structural Equation Modeling: A Multidisciplinary Journal*.

Asparouhov, T. & Muthén, B. (2019). Advances in Bayesian Model Fit Evaluation for Structural Equation Models. Forthcoming in *Structural Equation Modeling: A Multidisciplinary Journal*.

Asparouhov, T. & Muthén, B. (2019). Latent variable centering of predictors and mediators in multilevel and time-series models. *Structural Equation Modeling: A Multidisciplinary Journal*, 26, 119-142

Asparouhov, T. & Muthén, B. (2020). Comparison of models for the analysis of intensive longitudinal data. *Structural Equation Modeling: A Multidisciplinary Journal*, 27:2, 275-297.

Bartolucci, F. & Farcomeni, A. (2009). A Multivariate Extension of the Dynamic Logit Model for Longitudinal Data Based on a Latent Markov Heterogeneity Structure, *Journal of the American Statistical Association*, 104:486, 816-831.

Bartolucci, F., Farcomeni, A. & Pennoni, F. (2012). *Latent Markov Models for Longitudinal Data*. Chapman and Hall/CRC.

Bell, A. & Jones, K. (2015). Explaining fixed effects: Random effects modeling of time-series cross-sectional and panel data. *Political Science Research and Methods*, 3:1, 133-153.

Bijleveld, C.C.J.H. & Mooijart, A. (2002). Latent Markov modelling of recidivism data. *Statistica Neerlandica*, 57:3, 305-320.

Bollen, K. A., & Brand, J. E. (2010). A general panel model with random and fixed effects: A structural equations approach. *Social Forces*, 89, 1–34.

Bou, J.C. & Satorra, A., (2018). Univariate versus multivariate modeling of panel data: model specification and goodness-of-fit testing. *Organ. Res. Methods* 21:1, 150–196.

Burke, J.D. & Johnston, O.G. (2020). The bifactor s-1 model: A psychometrically sounder alternative to the structure of ADHD and ODD? *Journal of Abnormal Child Psychology*.

Breitsohl, H. (2019). Beyond ANOVA: An introduction to structural equation models for experimental designs. *Organizational Research Methods*, 22:3, 649-677.

Bye, B.V. & Schechter, E.S. (1986). A latent Markov model approach to the estimation of response errors in multiwave panel data. *Journal of the American Statistical Association*, 81, 375-380.

Carpenter, B., Gelman, A., Hoffman, M.D., Lee, D., Goodrich, B., Betancourt, M., Brubaker, M.A., Guo, J., Li, P. & Riddell, A. (2017). Stan: A probabilistic programming language. *Journal of Statistical Software*, 76:1.

Cattell, R.B. (1978). *The scientific use of factor analysis in behavioral and life sciences*. New York, NY: Plenum Press.

Cole, D.A., Martin, N.C & Steiger, J.H. (2005). Empirical and conceptual problems with longitudinal trait-state models: Introducing a trait-state-occasion model. *Psychological Methods*, 10:1, 3-20.

Collins, L.M., & Wugalter, S.E. (1992). Latent class models for stage-sequential dynamic latent variables. *Multivariate Behavioral Research* 27:131–157.

Collins, L. M., & Lanza, S. T. (2010). Repeated-Measures Latent Class Analysis and Latent Transition Analysis. *Latent Class and Latent Transition Analysis* (pp. 179–224). New York: Wiley.

DeMars, C.E. (2020). Alignment as an Alternative to Anchor Purification in DIF Analyses, *Structural Equation Modeling: A Multidisciplinary Journal*, 27:1, 56-72,

Dumenci, L. & Windle, M. (1996) A Latent Trait-State Model of Adolescent Depression Using the Center for Epidemiologic Studies-Depression Scale, *Multivariate Behavioral Research*, 31:3, 313-330.

Eid, M. (1996). Longitudinal confirmatory factor analysis for polytomous item responses: Model definition and model selection on the basis of stochastic measurement theory. *Methods of Psychological Research* 1:4, 65-85.

Eid, M. & Langeheine, R. (2003) FOCUS ARTICLE: Separating Stable From Variable Individuals in Longitudinal Studies by Mixture Distribution Models, *Measurement: Interdisciplinary Research and Perspectives*, 1:3, 179-206.

Eid, M., Geiser, C., Koch, T., & Heene, M. (2017). Anomalous results in g-factor models: Explanations and alternatives. *Psychological Methods*, 22:3, 541–562.

Eid, M., Krumm, S., Koch, T., & Schulze, J. (2018). Bifactor models for predicting criteria by general and specific factors: Problems of nonidentifiability and alternative solutions. *Journal of Intelligence*.

Eid, M. (2020). Multi-faceted constructs in abnormal psychology: Implications of the bifactor s-1 model for individual clinical assessment. *Journal of Abnormal Child Psychology*.

Ferguson, S.L., Moore, E.W.G. & Hull, D.M. (2019). Finding latent groups in observed data: A primer on latent profile analysis in Mplus for applied researchers. *International Journal of Behavioral Development*

Fox, J.P. & Glas, C.A.W. (2001). Bayesian estimation of a multilevel IRT model using Gibbs sampling. *Psychometrika*, 66:2, 271–288.

Fox, J.P. (2005) Multilevel IRT using dichotomous and polytomous response data. *British Journal of Mathematical and Statistical Psychology*, 58, 145-172.

Fox, J. P. (2010). *Bayesian item response theory*. New York, NY: Springer.

Fox, J.-P., and Verhagen, A. J. (2010). Random item effects modeling for cross-national survey data'. In *Cross-cultural Analysis: Methods and Applications*, Edited by: Davidov, E., Schmidt, P and Billiet, J., London: Routledge Academic.

Garnier-Villarreal, M. & Jorgensen, T.D. (2020). Adapting fit indices for Bayesian structural equation modeling: Comparison to maximum likelihood.

Geiser, C., & Lockhart, G. (2012). A comparison of four approaches to account for method effects in latent state–trait analyses. *Psychological Methods*, 17:2, 255–283.

Goldstein, H., & McDonald, R. P. (1988). A general model for the analysis of multilevel data. *Psychometrika*, 53:4, 455–467.

Graham, J.W., Collins, L.M., Wugalter, S.E., Chung, N.K. & Hansen, W.B. (1991). Modelling transitions in latent stage-sequential processes: a substance use prevention example. *Journal of Consulting and Clinical Psychology*, 59:1, 48-57.

Green, S.B. & Yang, Y. (2009). Reliability of summed item scores using structural equation modeling: An alternative to coefficient alpha. *Psychometrika*, 74:1, 155-167.

- Härnqvist, K. (1978). "Primary Mental Abilities of Collective and Individual Levels." *Journal of Educational Psychology* 70:706-16.
- Hamaker, E.L., Kuiper, R.M., & Grasman, R. (2015). A critique of the cross-lagged panel model. *Psychological Methods*, 20:1, 102-116.
- Hamaker, E.L., Schuurman, N.K. & Zijlman, E.A.O. (2016): Using a Few Snapshots to Distinguish Mountains from Waves: Weak factorial invariance in the context of trait-state research. *Multivariate Behavioral Research* 52:1,1-14.
- Hamaker, E. L., & Muthén, B. (2020). The fixed versus random effects debate and how it relates to centering in multilevel modeling. *Psychological Methods*, 25:3, 365–379.
- Henry, K.L. & Muthén, B. (2010). Multilevel latent class analysis: An application of adolescent smoking typologies with individual and contextual predictors. *Structural Equation Modeling: A Multidisciplinary Journal*, 17:2, 193-215.
- Hertzog, C. & Nesselroads, J.R. (1987). Beyond autoregressive models: Some implications of trait-state distinction for the structural modeling of developmental change.
- Humphreys, K. (1998). An evaluation of instruments measuring labor market status in the British Household Panel Study. *Sociological Methods and Research*, 26:3, 269-299.
- Jöreskog, K.G. (1970). Estimation and testing of simplex models. *British Journal of Mathematics and Statistical Psychology*, 23:2, 121-145.
- Jöreskog, K.G. (1979). 'Basic Ideas of Factor and Component Analysis:' in *Advances in Factor Analysis and Structural Equations Models*, K.G. Joreskog and D. Sorbom, eds., Cambridge, MA: Abt Books, 5-20.
- Jak, S. Oort, F.J., & Dolan, C.V. (2013). A test for cluster bias: Detecting violations of measurement invariance across clusters in multilevel data, *Structural Equation Modeling: A Multidisciplinary Journal*, 20:2, 265-282.
- Jak, S., Oort, F.J. & Dolan, C.V. (2014). Measurement bias in multilevel data *Structural Equation Modeling: A Multidisciplinary Journal*, 21:1, 31-39.
- Kaplan, D. (2008). An overview of Markov chain methods for the study of stage-sequential developmental processes. *Developmental Psychology*, 44, 457-467.
- Kenny, D.A. & Zautra. A. (1995). The trait-state-error model for multiwave data. *Journal of Consulting and Clinical Psychology*. 63:1, 52-59
- Kenny, D. A., & Zautra, A. (2001). Trait–state models for longitudinal data. In *Decade of behavior. New methods for the analysis of change*, Edited by: Collins, L.M. & Sayer, A.G. American Psychological Association. pp. 243–263.
- Lüdtke, O., Robitzsch, A. & Wagner, J. (2017). More stable estimation of the STARTS model: A Bayesian approach using Markov Chain Monte Carlo techniques. *Psychological Methods*, 23:3, 570-593.

- Langeheine, R. & van de Pol, F. (1990). A unifying framework for Markov modeling in discrete space and discrete time. *Sociological Methods and Research*, 18:4, 416-441.
- Langeheine, R. & van de Pol, F. (1994) State mastery learning: Dynamic models for longitudinal data. *Applied Psychological Measurement*, 18:3, 277-291.
- Langeheine R. (1994). Latent variable Markov models. In *Latent Variables Analysis: Applications for Developmental Research*, ed. A von Eye, CC Clogg, pp. 373–95. Thousand Oaks, CA: Sage.
- Langeheine, R. & van de Pol, F. (2002). Latent Markov Chains. In *Advances in Latent Class Analysis*, Edited by: Hagenaars, J. A. and McCutcheon, A. L., Publisher: Cambridge University Press, pp.304-341.
- Lanza, S. T., & Collins, L. M. (2008). A new SAS procedure for latent transition analysis: Transitions in dating and sexual risk behavior. *Developmental Psychology*, 44:2, 446–456.
- Levy, R. (2011). Bayesian Data-Model Fit Assessment for Structural Equation Modeling, *Structural Equation Modeling: A Multidisciplinary Journal*, 18:4, 663-685.
- Madden, J.M., Leacy, F.P., Zgaga, L. & Bennett, K. (2019). Fitting marginal structural and g-estimation models under complex treatment patterns: Investigating the association between De Novo vitamin D supplement use after breast cancer diagnosis and all-cause mortality using linked pharmacy claim and registration data. *American Journal of Epidemiology*, 189:3.
- Marsh, H.W. & Grayson, D. (1994). Longitudinal confirmatory factor analysis: Common, time-specific, item-specific, and residual-error components of variance, *Structural Equation Modeling: A Multidisciplinary Journal*, 1:2, 116-145.
- Maruotti, A, (2011). Mixed hidden Markov models for longitudinal data: An overview. *International Statistical Review*, 79:3, 427-454.
- Maydeu-Olivares, A., & Coffman, D. L. (2006). Random intercept item factor analysis. *Psychological Methods*, 11, 344 –362.
- McDonald R.P. & Goldstein, H.(1989). Balanced versus unbalanced designs for linear structural relations in two-level data. *British Journal of Mathematical and Statistical Psychology*. 42:2, 215-232.
- Mehta, P.D., Neale, M.C. (2005). People are variables too: Multilevel structural equations modeling. *Psychological Methods*, 10:3, 259-284.
- Muthén, B. (1994). Multilevel covariance structure analysis. In J. Hox, & I. Kreft (Eds.), *Multilevel Modeling*, a special issue of *Sociological Methods & Research*, 22, 376-398.
- Muthén, B., Muthén, L., & Asparouhov, T. (2016). *Regression and mediation analysis using Mplus*. Los Angeles, CA: Muthén & Muthén.

Muthén, B. & Asparouhov, T. (2018). Recent methods for the study of measurement invariance with many groups: Alignment and random effects. *Sociological Methods & Research*, 47:4 637-664.

Muthén, B. & Asparouhov, T. (2020). Random intercept latent transition analysis (RI-LTA) (under review)

Nguyen, Q.C., Osypuk, T.L., Schmidt, N.M., Glymour, M.M. & Tchetgen Tchetgen, E.J. (2015). Practical guidance for conducting mediation analysis with multiple mediators using inverse odds ratio weighting. *American Journal of Epidemiology*, 181:5.

Pendergast, L.L., von der Embse, N., Kilgus, S.P. & Eklund, K.R. (2017). Measurement equivalence: A non-technical primer on categorical multi-group confirmatory factor analysis in school psychology. *Journal of School Psychology*, 60, 65-82.

Raffalovich, L.E. & Bohrnstedt, G.W. (1987). Common, Specific, and Error Variance Components of Factor Models: Estimation with Longitudinal Data. *Sociological Methods & Research*, 15:4, 385-405.

Raudenbush & Bryk (2002). *Hierarchical Linear Models*. Sage.

Reboussin, B.A., Reboussin D.M., Liang, K.Y. & Anthony, J.C. (1998). Latent transition modeling of progression of health-risk behavior. *Multivariate Behavioral Research*, 33:457–478.

Ryu, E. & West, S.G. (2009). Level-specific evaluation of model fit in multilevel structural equation modeling, *Structural Equation Modeling*, 16:4, 583-601,

Schlove, S.L. (1987). Application of model-selection criteria to some problems in multivariate analysis. *Psychometrika*, 52:3, 333-343.

Schultzberg, M. & Muthén, B. (2018). Number of subjects and time points needed for multilevel time-series analysis: A simulation study of dynamic structural equation modeling. *Structural Equation Modeling A Multidisciplinary Journal* 25(4):1-21.

Schmalbach, B., Zenger, M., Michaelides, M.P., Schermelleh-Engel, K., Hinz, A., Körner, A., Beutel, M.E., Decker, O., Kliem, Sören, Brähler, E. (2020). From Bi-Dimensionality to Uni-Dimensionality in Self-Report Questionnaires. *European Journal of Psychological Assessment*.

Smid, S.C., Depaoli, S. & Van De Schoot, R. (2020). Predicting a distal outcome variable from a latent growth model: ML versus Bayesian estimation. *Structural Equation Modeling: A Multidisciplinary Journal*, 27:2, 169-191.

Steyer, R., Eid, M. & Schwenkmezger, P. (1997). Modeling true intraindividual change: true change as a latent variable. *Methods of Psychological Research*, 2, 21-33.

Thoemmes, F., Rosseel, Y. & Textor, J. (2018). Local fit evaluation of structural equation models using graphical criteria. *Psychological Methods*, 23:1, 27-41.

Van de Pol, F. & Leeuw, J.D. (1986). A latent Markov model to correct for measurement error. *Sociological Methods and Research*, 15:1-2. 118-141.

- Van de Pol, F., Langeheine, R. (1990). Mixed Markov latent class models. *Sociological Methodology*, 20, 213-247.
- Vermunt, J. K., Langeheine, R., and Böckenholt, U. (1999), "Discrete-time Discrete-state Latent Markov Models With Time-Constant and Time-Varying Covariates," *Journal of Educational and Behavioral Statistics*, 24, 179–207.
- Vermunt, J. (2004). An EM algorithm for the estimation of parametric and nonparametric hierarchical nonlinear models. *Statistica Neerlandica*, 58:2, 220–233.
- Vermunt, J. (2008). Latent class and finite mixture models for multilevel data sets. *Statistical Methods in Medical Research*, 17, 33-51.
- Wagner, J., Lüdtke, O. & Trautwein, U..(2016). Self-esteem is mostly stable across young adulthood: Evidence from latent STARTS models. *Journal of Personality*, 84:4, 523-535.
- Wolfe, D. (1940). *Factor analysis to 1940*. Psychometric Monograph No. 3. Chicago: University of Chicago Press.
- Yang, Y. & Xia, Y. (2019). Categorical Omega with small sample sizes via Bayesian estimation: An alternative to frequentist estimators. *Educational and Psychological Measurement*, 79:1, 19-39.
- Wooldridge, J. (2002). *Econometric Analysis of Cross Section and Panel Data*. Cambridge: MIT Press
- Wooldridge, J. M. (2013). *Introductory econometrics: A modern approach* (5th ed.). Mason, OH: South-Western, Cengage Learning.